

PRINTER RUSH

(PTO ASSISTANCE)

Application : <u>09/359,181</u>	Examiner : <u>CLOW</u>	GAU : <u>1631</u>
From: <u>EW C</u>	Location: <u>IDC</u> FMF FDC	Date: <u>4/07/05</u>
Tracking #: <u>06069037</u>		Week Date: <u>12-27-04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input checked="" type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE:

Per X RUSH of 3-4-05 file is a live PCI
Please supply PCT-908 form.
Thank you

[XRUSH] RESPONSE: This pct is a continuation in part
See attached paper.

* This was taken care of in a previous response. See
Printer Rush paper attached, hereto.
NO ERROR INITIALS: PS

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04

PRINTER RUSH

(PTO ASSISTANCE)

Application: <u>09/359,181</u>	Examiner: <u>CLOW</u>	GAU: <u>1631</u>
From: <u>CWC</u>	Location: <u>(DC) FMF FDC</u>	Date: <u>4/07/05</u>
Tracking #: <u>06069037</u>		Week Date: <u>12-27-04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: _____

Per X RUSH of 3-4-05 file is a live PCI

Please supply PCT-908 form.

Thank you

[XRUSH] RESPONSE: This application is NOT a PCT. It is a continuation-in-part, as was correctly submitted in the original specification and the Bib sheet that was corrected (see #122/99 Bib sheet). The continuity data on the specification and Bib sheet have been re-corrected to fix the "311" indication that was noted on 3-14-05 by someone with the initials "PS".

THE ORIGINAL SPEC IS CORRECT

NO ERROR BIB SHEET HAS BEEN CORRECTED INITIALS: LAC

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04

ACCORDINGLY